

# QUICK CHANGE ABRASIVE DISCS



## Quick Change Abrasive Discs

Available in either Ceramic, Zirconia or Aluminum Oxide grain on a durable, yet flexible backing. Quick changeovers between grits or to nonwoven products (refer to page 25). Excellent for general grinding, blending and finishing.



### Ceramic with Grinding Aid

Ceramic grain plus a Grinding Aid for aggressive stock removal on harder materials like stainless and alloys.

Grinding aid dissipates heat, particularly under heavy pressure, while providing maximum life.

Fastener Type	Diameter	GRIT						MAX	
		SX36	SX40	SX50	SX60	SX80	SX120		
Type R	2"	<b>262511</b>	<b>262512</b>	<b>262513</b>	<b>262514</b>	<b>262515</b>	<b>262517</b>	25.000	100
	3"	<b>262521</b>	<b>262522</b>	<b>262523</b>	<b>262524</b>	<b>262525</b>	<b>262527</b>	20.000	50
Type S	2"	262561	262562	262563	262564	262565	262567	25.000	100
	3"	262571	262572	262573	262574	262575	262577	20.000	50

BLUE PART NUMBERS ARE STOCK ITEMS




### Premium Zirconia Alumina

Premium Zirconia abrasive for more aggressive stock removal and longer life on stainless steel and high alloy materials.

Fastener Type	Diameter	GRIT						MAX	
		ZA36	ZA40	ZA50	ZA60	ZA80	ZA120		
Type R	2"	262621	262622	262623	262624	262625	262627	25.000	100
	3"	262631	262632	262633	262634	262635	262637	20.000	50
Type S	2"	262671	262672	262673	262674	262675	262677	25.000	100
	3"	262681	262682	262683	262684	262685	262687	20.000	50

BLUE PART NUMBERS ARE STOCK ITEMS

**TIP:** For extended life select mini flap discs on page 20.



## Premium Zirconia plus Grinding Aid

Premium Zirconia plus a Grinding Aid to dissipate heat and allow cooler grinding on stainless steel and hard alloys. Application requires moderate to heavy pressure to activate the grinding aid.

Grinding Aid also inhibits loading of softer materials like aluminum and brass.



Fastener Type	Diameter	GOOD						MAX	Box
		ZP36	ZP40	ZP50	ZP60	ZP80	ZP120		
Type R	2"	262771	262772	262773	262774	262775	262777	25.000	100
	3"	262781	262782	262783	262784	262785	262787	20.000	50
Type S	2"	262821	262822	262823	262824	262825	262827	25.000	100
	3"	262831	262832	262833	262834	262835	262837	20.000	50

BLUE PART NUMBERS ARE STOCK ITEMS



Type R Fastener



Type S Fastener




## Aluminum Oxide

Durable Aluminum Oxide grain for general purpose grinding and finishing on both ferrous and non-ferrous materials.

Fastener Type	Diameter	GOOD									MAX	Box
		A36	A40	A50	A60	A80	A100	A120	A180	A240		
Type R	1-1/2"	262021	262022	262023	262024	262025	262026	262027	262029	262031	25.000	100
	2"	262041	262042	262043	262044	262045	262046	262047	262049	262051	25.000	100
	3"	262061	262062	262063	262064	262065	262066	262067	262069	262071	20.000	50
Type S	1-1/2"	262121	262122	262123	262124	262125	262126	262127	262129	262131	25.000	100
	2"	262141	262142	262143	262144	262145	262146	262147	262149	262151	25.000	100
	3"	262161	262162	262163	262164	262165	262166	262167	262169	262171	20.000	50

BLUE PART NUMBERS ARE STOCK ITEMS




## Satin Finish & Unitized Quick Change Discs

Satin Finishing discs are very tough and durable. Can be used for light grinding, deburring, removing weld burn and finishing.



R-Type Fastener



S-Type Fastener

### High Strength Satin Disc - A/O

Fastener Type	Diameter	A/O			MAX	Box
		HS A-Med	HS A-Fine	HS A-VFine		
Type R	2"	263083	263084	263085	12.000	50
	3"	263086	263087	263088	8.000	25
Type S	2"	263089	263090	263091	12.000	50
	3"	263092	263093	263094	8.000	25

BLUE PART NUMBERS ARE STOCK ITEMS

### Heavy Duty Satin Disc - A/O



Fastener Type	Diameter	A/O				MAX	Box
		HD A-Coarse	HD A-Med	HD A-Fine	HD A-VFine		
Type R	2"	263050	263051	263052	263053	12.000	50
	3"	263055	263056	263057	263058	8.000	25
Type S	2"	263060	263061	263062	263063	12.000	50
	3"	263065	263066	263067	263068	8.000	25

BLUE PART NUMBERS ARE STOCK ITEMS



Unitized Discs can be used for weld blending, deburring and finishing on a variety of metals.

Density **2** (soft) through **8** (Hard)  
 Material **A** (Aluminum Oxide) **S** (Silicon Carbide)  
 Grit Coarse, Medium, Fine




R-Type Fastener

### Unitized Quick Change Discs

Fastener Type	Diameter	A/O						MAX	Box
		2 A Medium	6 A Medium	8 A Coarse	8 A Medium	2 S Fine	6 S Fine		
Type R	2"	347470	347471	347472	347473	347474	347475	22.000	60
	3"	347480	347481	347482	347483	347484	-	15.000	40

BLUE PART NUMBERS ARE STOCK ITEMS



## Quick Change Surface Conditioning Discs

Premium Surface Conditioning material is ideal for deburring, surfaces preparation, weld and gasket cleaning, and finishing stainless steel. Abrasive grain is evenly dispersed throughout a cushioned nylon web.

Provides even surfaces finished without undercutting, as well as resists loading.



Fastener Type	Diameter	GRIND					HD Coarse	HD Medium	HD Very Fine	MAX	Box Icon
		Coarse / Tan	Medium / Maroon	Very Fine / Blue	HD Coarse	HD Medium					
Type R	1-1/2"	262906	262907	262908	263010	263011	263012	30.000	100		
	2"	<b>262911</b>	<b>262912</b>	<b>262913</b>	<b>263013</b>	<b>263014</b>	<b>263015</b>	23.000	50		
	3"	<b>262916</b>	<b>262917</b>	<b>262918</b>	<b>263016</b>	<b>263017</b>	<b>263018</b>	20.000	25		
Type S	1-1/2"	262931	262932	262933	263020	263021	263022	30.000	100		
	2"	<b>262936</b>	<b>262937</b>	<b>262938</b>	<b>263023</b>	<b>263024</b>	<b>263025</b>	23.000	50		
	3"	<b>262941</b>	<b>262942</b>	<b>262943</b>	<b>263026</b>	<b>263027</b>	<b>263028</b>	20.000	25		

BLUE PART NUMBERS ARE STOCK ITEMS

## REX Quick Change Cleaning Discs

Extra Coarse Silicon Carbide grain on a heavy nylon web. Aggressively removes rust and weld spatter. Strips paint and epoxy quickly without loading.




Type R Fastener

Diameter	GRIND		OPT	MAX	Box Icon
	S-Coarse				
2"	<b>262914</b>		4.500	8.000	10
3"	<b>262919</b>		3.100	5.500	10

BLUE PART NUMBERS ARE STOCK ITEMS

## Quick Change Holders

All Wendt quick change holders are industrial grade for long life in flexible finishing applications. Combo versions have a removable shank, and can thread directly onto grinders with 5/8-11 spindle.



Dimensions a x b	Fastener		Box Icon
	Type - R	Type - S	
1-1/2" x 1/4" shank	<b>263110</b>	<b>263111</b>	1
1-1/2" x 1/4" shank / 5/8-11 combo	<b>263115</b>	<b>263117</b>	1
2" x 1/4" shank	<b>263120</b>	<b>263121</b>	1
2" x 1/4" shank / 5/8-11 combo	<b>263125</b>	<b>263127</b>	1
3 x 1/4" shank	<b>263130</b>	<b>263131</b>	1
3" x 1/4" shank / 5/8-11 combo	<b>263135</b>	<b>263137</b>	1

BLUE PART NUMBERS ARE STOCK ITEMS





## Satin Finish Discs High Strength and Heavy Duty



Satin Finishing Discs are very tough and durable. Can be used for light grinding, deburring, removing weld burn and finishing.

Specification / Material	Size		Density / Grade				MAX	Box
	a x b	c	Coarse	Medium	Fine	Very Fine		
Heavy Duty A/O	6"	1/2"	347000	347001	347002	347003	3.600	25
	8"	1/2"	347005	347006	347007	347008	2.700	25
High Strength A/O	6"	1/2"	-	347071	347072	347073	3.600	25
	8"	1/2"	-	347075	347076	347078	2.700	25

BLUE PART NUMBERS ARE STOCK ITEMS



## Unitized Wheels

Size	Density / Grade								MAX	Box
	2A - Med EX	2S - Fine EX	MAX	6A - Med EX	6S - Fine EX	7S - ExCrs EX	8A - CRS EX	8A - Med EX		
1" x 1" x 3/16"	347320	347324	18,000	347321	327325	-	347322	347323	30.000	50
2" x 1/8" x 1/4"	-	-	-	-	-	-	-	347333	22.000	60
2" x 1/4" x 1/4"	347340	347344	18,000	-	-	-	347342	347343	22.000	60
3" x 1/4" x 1/4"	347350	347354	12,000	347351	-	-	347352	347353	18.000	40
3" x 1/4" x 3/8"	347360	347364	12,000	347361	-	-	347362	347363	18.000	40
3" x 1/2" x 1/4"	347370	347374	12,000	-	-	-	347372	347373	18.000	20
3" x 1" x 3/8"	-	-	-	-	-	347379	-	-	14.000	10
6" x 1/2" x 1"	-	-	5,000	-	-	-	-	347383	7.500	4
6" x 1" x 1"	347390	347394	5,000	-	-	-	-	-	-	2






BLUE PART NUMBERS ARE STOCK ITEMS





## Unmounted REX Nonwoven Cleaning Discs

Very coarse silicon carbide grain in a nylon web  
resists loading.


 a x b	 S-Coarse	 OPT	 MAX	
4" x 1/2" x 1/4"	<b>326904</b>	3.000	6.000	10
6" x 1/2" x 1/2"	<b>326908</b>	2.000	4.000	10
8" x 1/2" x 1/2"	<b>326910</b>	1.500	3.000	5

**BLUE PART NUMBERS ARE STOCK ITEMS**



## Flanged adapters for REX Cleaning Discs



For use with wheel sizes	Part #	
4" x 1/2" x 1/4"	<b>326992</b>	1
6" x 1/2" x 1/2"	<b>326994</b>	1
8" x 1/2" x 1/2"	<b>326994</b>	1

**BLUE PART NUMBERS ARE STOCK ITEMS**





## PSA Discs (X-wt. Cloth)

Premium Aluminum Oxide abrasive on a durable X-weight cloth backing. Suitable for general grinding, blending and deburring operations on an assortment of materials including steel, stainless, non-ferrous metals and plastics.

Diameter	0000							
	A36	A40	A50	A60	A80	A100	A120	
5"	<b>264561</b>	264562	<b>264563</b>	<b>264564</b>	<b>264565</b>	264566	<b>264567</b>	50
6"	264581	264582	264583	264584	264585	264586	264587	50
12"	264661	264662	264663	264664	264665	264666	264667	25

**BLUE PART NUMBERS ARE STOCK ITEMS**

## PSA Paper Disc Roll - General Purpose

Premium Aluminum Oxide abrasive on a B or C weight paper backing. Suitable for general sanding, blending and paint removal on an assortment of materials including mild steel, non-ferrous metals, solid surfaces, wood and plastics.



Diameter	0000									
	P80	P100	P120	P150	P180	P220	P240	P320	P400	
5"	265000	265001	265002	265003	265004	265005	265006	265007	265008	125
6"	265010	265011	265012	265013	265014	265015	265016	265017	265018	125

**BLUE PART NUMBERS ARE STOCK ITEMS**

## PSA Paper Disc Roll - Premium Gold

Premium Aluminum Oxide abrasive on a durable C or D weight paper backing. Suitable for general sanding, blending and paint removal on an assortment of materials including mild steel, non-ferrous metals, solid surfaces, wood and plastics.



Diameter	0000									
	P80	P100	P120	P150	P180	P220	P240	P320	P400	
5"	265020	265021	265022	265023	265024	265025	265026	265027	265028	100
6"	265030	265031	265032	265033	265034	265035	265036	265037	265038	100

**BLUE PART NUMBERS ARE STOCK ITEMS**

## Surface Conditioning Discs

Surface Conditioning Discs are ideal for deburring, surface preparation, and finishing applications. Abrasive grain is distributed throughout an open nylon web which resists loading and will not undercut the work surface. Scrim backing affix quickly and securely to Hook & Loop Gripper Pads.



Diameter	Grain			OPT	MAX	Box
	Coarse / Tan	Medium / Maroon	V. Fine / Blue			
4"	262986	262987	262988	3.800	8.000	10
4-1/2"	<b>262991</b>	<b>262992</b>	<b>262993</b>	3.300	8.000	10
5"	<b>262996</b>	<b>262997</b>	<b>262998</b>	2.600	7.000	10
7"	<b>263006</b>	<b>263007</b>	<b>263008</b>	2.200	6.000	10

**BLUE PART NUMBERS ARE STOCK ITEMS**

**TIP:** Surface Conditioning Material is also available in a layered Flap Disc version for extended life. See page 16 for more information.

## Hook & Loop Gripper Pads

Gripper pads have a threaded insert with flat collars for easy removal from the tool. Pad surface is flat, with "T" hooks to hold the surface conditioning discs securely in place.

Dia x Thread	Hook and Loop	Box
4" x 5/8-11	<b>263200</b>	1
4-1/2" x 5/8-11	<b>263203</b>	1
5" x 5/8-11	<b>263205</b>	1
7" x 5/8-11	<b>263209</b>	1

**BLUE PART NUMBERS ARE STOCK ITEMS**



## PSA Backing Pads

Premium quality backing pads available with 5/16-24 threads to fit DA sanders or 5/8-11 internal thread for low speed sanders.

Diameter x thread	Part Number	MAX	Box
5" x 5/16-24	263263	10.000	1
6" x 5/16-24	263268	10.000	1
5" x 5/8-11	263280	7.000	1
6" x 5/8-11	263281	5.730	1

**BLUE PART NUMBERS ARE STOCK ITEMS**

